





## 产品选型

产品编号	产品型号	描述
G-NSDMG-015	NS-5/DMG2-U	Range +/-5°,Vcc 10...30VDC,output RS232,voltage
G-NSDMG-017	NS-5/DMG2-I	Range +/-5°,Vcc 10...30VDC,output RS232,current
G-NSDMG-014	NS-5/DMG2-PWM	Range +/-5°,Vcc 10...30VDC,output RS232,PWM
G-NSDMG-016	NS-5/DMG2-S	Range +/-5°,Vcc 10...30VDC,output RS232,switch
G-NSDMG-019	NS-15/DMG2-U	Range +/-5°,Vcc 10...30VDC,output RS232,voltage
G-NSDMG-021	NS-15/DMG2-I	Range +/-5°,Vcc 10...30VDC,output RS232,current
G-NSDMG-018	NS-15/DMG2-PWM	Range +/-5°,Vcc 10...30VDC,output RS232,PWM
G-NSDMG-020	NS-15/DMG2-S	Range +/-5°,Vcc 10...30VDC,output RS232,switch
G-NSDMG-023	NS-30/DMG2-U	Range +/-5°,Vcc 10...30VDC,output RS232,voltage
G-NSDMG-025	NS-30/DMG2-I	Range +/-5°,Vcc 10...30VDC,output RS232,current
G-NSDMG-022	NS-30/DMG2-PWM	Range +/-5°,Vcc 10...30VDC,output RS232,PWM
G-NSDMG-024	NS-30/DMG2-S	Range +/-5°,Vcc 10...30VDC,output RS232,switch
G-NSMIS-008	connection	2 m cable, straight connector 763-series
G-NSMIS-009	connection	2 m cable, angle 90° connector 763-series